Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA.—Month of September, 1910. Population, 2,377,549. Total number of deaths from all causes, 2,472, including diphtheria 13, measles 4, scarlet fever 7, tuberculosis 320, typhoid fever 53. Cases reported: Diphtheria 72, measles 94, scarlet fever 70, typhoid fever 111.

Month of October, 1910. Total number of deaths from all causes, 2,683, including diphtheria 22, measles 1, scarlet fever 7, tuberculosis 352, typhoid fever 51. Cases reported: Diphtheria 134, measles 221, scarlet fever 140, typhoid fever 521.

CONNECTICUT.—Month of January, 1911. Population, 1,109,060. Total number of deaths from all causes, 1,737, including diphtheria 25, measles 7, scarlet fever 18, tuberculosis, pulmonary, 146, typhoid fever 6. Cases reported: Diphtheria, 236 in 45 towns; measles, 661 in 53 towns; scarlet fever, 333 in 49 towns; tuberculosis, pulmonary, 136 in 39 towns; typhoid fever, 37 in 14 towns.

FLORIDA.—Week ended February 11, 1911. Reports from the State board of health show diphtheria present in 1 locality (Tampa) with 3 cases, smallpox in 7 counties with 53 cases, malaria in 3 localities with 33 cases, tuberculosis in 6 localities with 10 cases, typhoid fever in 2 localities (Tampa and Jacksonville) with 9 cases.

ILLINOIS—*Peoria.*—Month of January, 1911. Population, 66,950. Total number of deaths from all causes 98, including tuberculosis 7, typhoid fever 2. Cases reported: Diphtheria 4, scarlet fever 7, smallpox 5.

MINNESOTA.—Month of November, 1910. Population, 2,075,708. Total number of deaths from all causes 1,735, including diphtheria 14, measles 3, scarlet fever 12, tuberculosis 176, typhoid fever 92.

SOUTH CAROLINA—*Charleston.*—Month of January, 1911. Population, 58,833. Total number of deaths from all causes 124, including pellagra 4, tuberculosis 15. Cases reported: Diphtheria 3, scarlet fever 4, typhoid fever 6.